



# TOWN OF NORTH CASTLE

WESTCHESTER COUNTY  
17 Bedford Road  
Armonk, New York 10504-1898

RESIDENTIAL PROJECT  
REVIEW COMMITTEE  
Adam R. Kaufman AICP, Chair

Telephone: (914) 273-3000 x43  
Fax: (914) 273-3554  
[www.northcastleny.com](http://www.northcastleny.com)

## RESIDENTIAL PROJECT REVIEW COMMITTEE (RPRC) PROCEDURES

The RPRC was created to streamline the residential review process and quickly reviews all residential projects. Projects determined to have no impact are permitted to apply to the Building Department while more complicated projects are directed to the appropriate review board(s).

THE RPRC reviews all applications for residential permits (including, but not limited to, buildings permits, steep slope permits, wetlands permits and pool permits), but excluding permits only relating to interior alterations/renovations.

To get on an RPRC agenda you must submit a single PDF file containing the following to the Planning Department:

1. Complete all items on the RPRC checklist
2. RPRC Application fee. Check made payable to: Town of North Castle.
3. Floor Area and Gross Land Coverage work sheets (with backup information)
4. Plans for your project according the RPRC Checklist
5. Submit one single PDF file containing all information listed above to the Planning Department: [planning@northcastleny.com](mailto:planning@northcastleny.com).

Once your application has been submitted, you may follow your application on the RPRC webpage located at <http://www.northcastleny.com/residential-project-review-committee-rprc>

Determination Letters are posted on the website (click on determination letters, find the date of your meeting and click on the name of your project - Letters are posted the day after the meeting, typically by 1 :00 p.m.)

---



# TOWN OF NORTH CASTLE

WESTCHESTER COUNTY  
17 Bedford Road  
Armonk, New York 10504-1898

RESIDENTIAL PROJECT  
REVIEW COMMITTEE  
Adam R. Kaufman AICP, Chair

Telephone: (914) 273-3000 x 43  
Fax: (914) 273-3554  
www.nortcastleny.com

## RESIDENTIAL PROJECT REVIEW COMMITTEE (RPRC) APPLICATION

### Section I- PROJECT

ADDRESS: 16 Pine Ridge Rd, North Castle, NY

### Section III- DESCRIPTION OF WORK:

Proposed pool, removal of trees, & site re-grading.

### Section III- CONTACT INFORMATION:

APPLICANT: Jason Savitsky

ADDRESS: 16 Pine Ridge Rd, Bedford, NY

PHONE: \_\_\_\_\_ MOBILE: \_\_\_\_\_ EMAIL: \_\_\_\_\_

PROPERTY OWNER: Jason Savitsky

ADDRESS: 16 Pine Ridge Rd, Bedford, NY

PHONE: \_\_\_\_\_ MOBILE: \_\_\_\_\_ EMAIL: \_\_\_\_\_

PROFESSIONAL.: John Petroccione, P.E.

ADDRESS: 2 Lake Street, Suite 203, Monroe, NY 10950

PHONE: \_\_\_\_\_ MOBILE: \_\_\_\_\_

EMAIL: jpetroccione@yahoo.com / info@rain-concepts.com

### Section IV- PROPERTY INFORMATION:

Zone: R-2A Tax ID (lot designation) 102.01-2-20



**Town of North Castle  
Residential Project Review Committee**

17 Bedford Road Armonk, New York 10504  
(914) 273-3542 (914) 273-3554 (fax)

**RPRC COMPLETENESS REVIEW FORM**

*This form represents the standard requirements for a completeness review for all Residential Project Review Committee submissions. Failure to provide all of the information requested will result in a determination that the application is incomplete.*

Project Name on Plan: Site Plan Jason Savitsky

Initial Submittal  Revised Preliminary

Street Location:

16 Pine Ridge Rd, North Castle, NY

Zoning District: R-2A Property Acreage: 2.230 Tax Map Parcel ID: 102.01-2-20

Date: 1/19/21

**DEPARTMENTAL USE ONLY**

Date Filed: \_\_\_\_\_ Staff Name: \_\_\_\_\_

**Preliminary Plan Completeness Review Checklist**

Items marked with a  are complete, items left blank  are incomplete and must be completed, "NA" means not applicable.

1. Plan prepared by a registered architect or professional engineer
2. Aerial photo (Google Earth) showing the applicant's entire property and adjacent properties and streets
3. Map showing the applicant's entire property and adjacent properties and streets
4. A locator map at a convenient scale
5. The proposed location, use and design of all buildings and structures
6. Existing topography and proposed grade elevations
7. Location of drives
8. Location of all existing and proposed site improvements, including drains, culverts, retaining walls and fences

**RPRC COMPLETENESS REVIEW FORM**

Page 2

- 9. Description of method of water supply and sewage disposal and location of such facilities
- 10. The name and address of the applicant, property owner(s) if other than the applicant and of the planner, engineer, architect, surveyor and/or other professionals engaged to work
- 11. Submission of a Zoning Conformance Table depicting the plan's compliance with the minimum requirements of the Zoning District
- 12. If a tree removal permit is being sought, submission of a plan depicting the location and graphical removal status of all Town-regulated trees within the proposed area of disturbance. In addition, the tree plan shall be accompanied by a tree inventory includes a unique ID number, the species, size, health condition and removal status of each tree.
- 13. If a wetlands permit is being sought, identification of the wetland and the 100-foot wetland buffer.

More information about the items required herein can be obtained from the North Castle Planning Department. A copy of the Town Code can be obtained from Town Clerk or on the North Castle homepage: <http://www.northcastleny.com/townhall.html>

\_\_\_\_\_ On this date, all items necessary for a technical review of the proposed site plan have been submitted and constitute a COMPLETE APPLICATION.



TOWN OF NORTH CASTLE  
WESTCHESTER COUNTY  
17 Bedford Road  
Armonk, New York 10504-1898

PLANNING DEPARTMENT  
Adam R. Kaufman, AICP  
Director of Planning

Telephone: (914) 273-3542  
Fax: (914) 273-3554  
[www.northcastleny.com](http://www.northcastleny.com)

GROSS LAND COVERAGE CALCULATIONS WORKSHEET

Application Name or Identifying Title: Site Plan Jason Savitsky Date: 1/19/21

Tax Map Designation or Proposed Lot No.: 102.01-2-20


Gross Lot Coverage

1. Total lot Area (Net Lot Area for Lots Created After 12/13/06): 2.230 Ac.
2. **Maximum** permitted gross land coverage (per Section 355-26.C(1)(b)): 14,021 SF
3. **BONUS** maximum gross land cover (per Section 355-26.C(1)(b)):  
Distance principal home is beyond minimum front yard setback x  
24' 10 = 240 SF 240 SF
4. **TOTAL Maximum Permitted gross land coverage** = Sum of lines 2 and 3 14,261 SF
5. Amount of lot area covered by **principal building**:  
2,600 existing + 0 proposed = 2,600 SF
6. Amount of lot area covered by **accessory buildings**:  
0 existing + 0 proposed = 0 SF
7. Amount of lot area covered by **decks**:  
0 existing + 0 proposed = 0 SF
8. Amount of lot area covered by **porches**:  
350 existing + 0 proposed = 350 SF
9. Amount of lot area covered by **driveway, parking areas and walkways**:  
7,832 existing + 0 proposed = 7,832 SF
10. Amount of lot area covered by **terraces**:  
0 existing + 0 proposed = 0 SF
11. Amount of lot area covered by **tennis court, pool and mechanical equip**:  
27 existing + 846 proposed = 873 SF
12. Amount of lot area covered by **all other structures**:  
45 existing + 0 proposed = 45 SF
13. Proposed **gross land coverage**: Total of Lines 5 – 12 = 11,700 SF

If Line 13 is less than or equal to Line 4, your proposal **complies** with the Town's maximum gross land coverage regulations and the project may proceed to the Residential Project Review Committee for review. If Line 13 is greater than Line 4 your proposal does not comply with the Town's regulations.

Signature and Seal of Professional Preparing Worksheet

2/1/21  
Date





**TOWN OF NORTH CASTLE**  
**WESTCHESTER COUNTY**  
17 Bedford Road  
Armonk, New York 10504-1898


**PLANNING DEPARTMENT**  
Adam R. Kaufman, AICP  
Director of Planning

Telephone: (914) 273-3542  
Fax: (914) 273-3554  
[www.northcastleny.com](http://www.northcastleny.com)

## GROSS LAND COVERAGE WORKSHEET

The following format is to be used for all applications for the purpose of demonstrating the gross land coverage of a property as necessary to show compliance with gross land coverage limitations of the Town Code.

1. Scaled worksheets are to be prepared based upon a site plan which represents existing or proposed conditions as applicable to the particular circumstances of the approval being sought. All site plans and worksheets are required to be prepared by a licensed or registered professional in the State of New York.
2. Each component of the gross land coverage is to be divided into simple polygons (squares, rectangles, etc.) each being drawn on the plan. The area of each polygon is to be shown by providing the dimensions and resulting area measurement. Each polygon is to be assigned an identifying label for reference purposes.
3. A summary table for each component is to be completed. The area of each polygon is to be listed by reference label then added, resulting in the gross land coverage for the entire site.
4. Any exception of land coverage from the gross land coverage must be identified on the floor plans and summary tables. The rationale for any exception must accompany the floor area worksheets.
5. A schematic illustration of the format is shown below



LOT AREA, NET – Lot area minus seventy five (75) percent of the area of any wetlands, waterbodies and, watercourses, but excluding any adjacent areas, all as defined in Chapter 209 Wetlands and Drainage, of the Town Code, and the area of any steep slopes, as defined Chapter 213, except that in the case of one-family lots, the deduction for steep slopes shall be only fifty (50) percent.

Lot Size	Maximum Permitted Gross Land Coverage for One-Family Dwelling Lots <sup>1</sup> (square feet)
Less than 5,000 square feet	50% of the lot area
5,000 to 9,999 square feet	2,500 plus 30% of the lot area in excess of 5,000 square feet
10,000 to 14,999 square feet	4,000 plus 24% of the lot area in excess of 10,000 square feet
15,000 square feet to 0.499 acres	5,200 plus 18% of the lot area in excess of 15,000 square feet
0.5 to 0.749 acres	6,420 plus 15% of the lot area in excess of 0.5 acres
0.75 to 0.999 acres	8,050 plus 12% of the lot area in excess of 0.75 acres
1.0 to 1.999 acres	9,350 plus 9% of the lot area in excess of 1.0 acres
2.0 acres or more	13,270 plus 7.5% of the lot area in excess of 2.0 acres

\*Permitted gross land coverage limitations for two-family dwelling lots in the R-2F District shall be twenty five (25) percent greater than that permitted for one-family dwelling lots.

NOTWITHSTANDING ABOVE LIMITATIONS, AN ADDITIONAL 10 SQUARE FEET OF GROSS LAND COVERAGE SHALL BE PERMITTED FOR EACH ONE FOOT OF FRONT YARD SETBACK OF THE PRINCIPAL DWELLING IN EXCESS OF THE MINIMUM FRONT YARD SETBACK REQUIRED.



- PROJECT NOTES:**
- OWNER / APPLICANT:  
JASON SAVITSKY  
16 PINE RIDGE RD.  
BEDFORD, NY 10506
  - PROJECT SITE ADDRESS:  
16 PINE RIDGE RD.  
NORTH CASTLE, NY 10504
  - SURVEY BOUNDARY & TOPOGRAPHY INFORMATION  
FROM MAP PREPARED BY:  
TC MERRITTS LAND SURVEYORS  
394 BEDFORD ROAD, PLEASANTVILLE, NY
  - SECTION 102.01 BLOCK 2 LOT 20  
TOTAL AREA OF PARCEL = 2.230 ACRES
  - WATERSHED BASIN:  
INLAND LONG ISLAND SOUND BASIN
  - USDA SOIL TYPE:  
HrF - HOLLIS-ROCK OUTCROP COMPLEX, 35-60% SLOPES  
CsD - CHATFIELD-CHARLTON COMPLEX, 15-35% SLOPES, VERY ROCKY  
AS PER USDA NATIONAL RESOURCES  
CONSERVATION SERVICE SOIL SURVEY MAPS
  - TOTAL AREA OF DISTURBANCE = APPROX. 8,000 SF
  - ESTIMATED START DATE: 3/30/21  
ESTIMATED FINISH DATE: 3/30/22

**PROPOSED CONSTRUCTION SCHEDULE**

- OBTAIN PLAN AND PERMIT APPROVALS FROM TOWN OF NORTH CASTLE.
- FIELD STAKE LIMITS OF DISTURBANCE ON AS SHOWN PRIOR TO CONSTRUCTION.
- INSTALL STABILIZED CONSTRUCTION ENTRANCE AS SHOWN.
- REMOVE SELECTED TREES & INSTALL SILT FENCING AS SHOWN, CALL FOR INSPECTIONS IF REQUIRED.
- REMOVE EXISTING LEACH FIELDS AS SHOWN/CALLED FOR ON PLAN.
- INSTALL PROPOSED LEACH FIELDS AS SHOWN/CALLED FOR ON PLAN.
- EXCAVATE AND INSTALL POOL, PERFORM ROUGH GRADING AROUND POOL.
- PERFORM FINAL SITE GRADING, TOPSOIL, SEED & HAY OR OTHERWISE STABILIZE ALL DISTURBED AREAS, PERFORM FINAL PLANTINGS AS DIRECTED BY LANDSCAPE ARCHITECT.
- AFTER SITE IS DETERMINED TO BE STABILIZED BY TOWN ENGINEER OR AUTHORIZED OTHER, SEDIMENT AND EROSION CONTROLS MAY BE REMOVED.

**MAINTENANCE SCHEDULE**

- ALL EROSION CONTROL PRACTICES WILL BE INSPECTED REGULARLY FOR STABILITY AND OPERATION AT MINIMUM ONCE WITHIN EVERY WEEK OR FOLLOWING ANY SIGNIFICANT RAINFALL EVENT. REPAIRS SHOULD BE MADE IMMEDIATELY UPON NOTICE OF FAILURE.
- SEDIMENT TO BE REMOVED FROM SILT FENCE ONCE LEVELS REACH 50% OF HEIGHT OF EXPOSED FENCE OR BULGES APPEAR.
- ALL DISTURBED AREAS FOR TRENCHING ETC., TO BE BACKFILLED IMMEDIATELY AND ROUGH GRADED.






ZONING TABLE R-2A DISTRICT			
LOT	MINIMUM	EXISTING	PROPOSED
AREA	2.0 ACRES	2.230 ACRES	NO CHANGE
FRONTAGE	150'	152'	NO CHANGE
WIDTH	150'	150'	NO CHANGE
DEPTH	150'	639'	NO CHANGE
<b>YARDS</b>			
FRONT	50'	74'	NO CHANGE
SIDE	30' / 30'	32' / 45'	NO CHANGE
REAR	50'	485'	428'

R-2A DISTRICT - TOTAL LOT AREA = 2.230 ACRES / 97,142 SF				
COVERAGE	MAXIMUM	EXISTING	PROPOSED	NET INCREASE
GROSS LAND COVERAGE	14,261 SF	10,854 SF	11,700 SF	+ 846 SF
GROSS LAND COVERAGE	14.7%	11.2%	12.0%	+ 0.8%
BUILDING COVERAGE	7,771 SF	2,600 SF	2,600 SF	0 SF
BUILDING COVERAGE	8.00%	2.68%	2.68%	0.00%

TREE REMOVAL - INVENTORY				
LABEL	SIZE	SPECIES	CONDITION	STATUS
#1	14"	OAK	GOOD	TO BE REMOVED
#2	8"	OAK	GOOD	TO BE REMOVED
#3	8"	MAPLE	GOOD	TO BE REMOVED
#4	12"	TREE	GOOD	TO BE REMOVED
#5	18"	TREE	GOOD	TO BE REMOVED

**LEGEND**

- EXISTING PROPERTY LINE
- EXISTING 2' CONTOUR LINE
- EXISTING 10' CONTOUR LINE
- PROPOSED CONTOUR LINE
- EXISTING SETBACK
- LIMIT OF DISTURBANCE
- PROPOSED SILT FENCE
- UNDERGROUND PROPANE LINE
- UNDERGROUND ELECTRIC
- EXISTING TREE
- EXISTING TREE TO BE REMOVED



**SITE PLAN**  
JASON SAVITSKY

16 PINE RIDGE ROAD  
TOWN OF NORTH CASTLE  
WESTCHESTER COUNTY, NY

487 E MAIN STREET  
SUITE # 230  
MOUNT KISCO, NY 10549  
P/F: 1-800-786-1909  
WWW.RAIN-CONCEPTS.COM  
INFO@RAIN-CONCEPTS.COM

**RAIN CONCEPTS**  
CONCRETE - LANDSCAPE ARCHITECTURE - SEWER

STATE OF NEW YORK  
JOHN PETROCCIONE P.E. LICENSE NO 078516 DATE 2/1/21  
UNAUTHORIZED ALTERATION OR ADDITION TO A PLAN BEARING A LICENSED LAND SURVEYOR'S OR PROFESSIONAL ENGINEER'S SEAL IS A VIOLATION OF SECTION 7209, SUB-DIVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

**JOHN PETROCCIONE P.E.**  
LICENSE NO. 078516  
129 NEPTUNE DRIVE, MONROE, NEW YORK 10950

REVISIONS:

1/19/21	INITIAL PREPARATION
---------	---------------------

SCALE = 1" = 30' SHEET 1 OF 2



- PROJECT NOTES:**
- OWNER / APPLICANT:  
JASON SAVITSKY  
16 PINE RIDGE RD.  
BEDFORD, NY 10506
  - PROJECT SITE ADDRESS:  
16 PINE RIDGE RD.  
NORTH CASTLE, NY 10504
  - SURVEY BOUNDARY & TOPOGRAPHY INFORMATION  
FROM MAP PREPARED BY:  
TC MERRITTS LAND SURVEYORS  
394 BEDFORD ROAD, PLEASANTVILLE, NY
  - SECTION 102.01 BLOCK 2 LOT 20  
TOTAL AREA OF PARCEL = 2.230 ACRES
  - WATERSHED BASIN:  
INLAND LONG ISLAND SOUND BASIN
  - USDA SOIL TYPE:  
HrF- HOLLIS-ROCK OUTCROP COMPLEX, 35-60% SLOPES  
CsD- CHATFIELD-CHARLTON COMPLEX, 15-35% SLOPES, VERY ROCKY  
AS PER USDA NATIONAL RESOURCES  
CONSERVATION SERVICE SOIL SURVEY MAPS
  - TOTAL AREA OF DISTURBANCE = APPROX. 8,000 SF
  - ESTIMATED START DATE: 3/30/21  
ESTIMATED FINISH DATE: 3/30/22


**PROPOSED CONSTRUCTION SCHEDULE**

- OBTAIN PLAN AND PERMIT APPROVALS FROM TOWN OF NORTH CASTLE.
- FIELD STAKE LIMITS OF DISTURBANCE ON AS SHOWN PRIOR TO CONSTRUCTION.
- INSTALL STABILIZED CONSTRUCTION ENTRANCE AS SHOWN.
- REMOVE SELECTED TREES & INSTALL SILT FENCING AS SHOWN, CALL FOR INSPECTIONS IF REQUIRED.
- REMOVE EXISTING LEACH FIELDS AS SHOWN/CALLED FOR ON PLAN.
- INSTALL PROPOSED LEACH FIELDS AS SHOWN/CALLED FOR ON PLAN.
- EXCAVATE AND INSTALL POOL, PERFORM ROUGH GRADING AROUND POOL.
- PERFORM FINAL SITE GRADING, TOPSOIL, SEED & HAY OR OTHERWISE STABILIZE ALL DISTURBED AREAS, PERFORM FINAL PLANTINGS AS DIRECTED BY LANDSCAPE ARCHITECT.
- AFTER SITE IS DETERMINED TO BE STABILIZED BY TOWN ENGINEER OR AUTHORIZED OTHER, SEDIMENT AND EROSION CONTROLS MAY BE REMOVED.



**MAINTENANCE SCHEDULE**

- ALL EROSION CONTROL PRACTICES WILL BE INSPECTED REGULARLY FOR STABILITY AND OPERATION AT MINIMUM ONCE WITHIN EVERY WEEK OR FOLLOWING ANY SIGNIFICANT RAINFALL EVENT. REPAIRS SHOULD BE MADE IMMEDIATELY UPON NOTICE OF FAILURE.
- SEDIMENT TO BE REMOVED FROM SILT FENCE ONCE LEVELS REACH 50% OF HEIGHT OF EXPOSED FENCE OR BULGES APPEAR.
- ALL DISTURBED AREAS FOR TRENCHING ETC., TO BE BACKFILLED IMMEDIATELY AND ROUGH GRADED.


TREE REMOVAL - INVENTORY				
LABEL	SIZE	SPECIES	CONDITION	STATUS
#1	14"	OAK	GOOD	TO BE REMOVED
#2	8"	OAK	GOOD	TO BE REMOVED
#3	8"	MAPLE	GOOD	TO BE REMOVED
#4	12"	TREE	GOOD	TO BE REMOVED
#5	18"	TREE	GOOD	TO BE REMOVED



- NOTES:**
- USE 2" TO 4" STONE OR RECLAIMED CONCRETE EQUIVALENT.
  - MINIMUM ENTRANCE LENGTH 30', MINIMUM ENTRANCE WIDTH 13', FOR RESIDENTIAL APPLICATIONS
  - MINIMUM GRAVEL DEPTH NOT LESS THAN 6"
  - WOVEN GEO-TEXTILE FABRIC TO BE PLACED OVER ENTIRE AREA BEFORE STONE IS PLACED.
  - THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION WHICH WILL PREVENT TRACING OF SOILS OR SEDIMENT ONTO PUBLIC ROADWAYS, ANY OR ALL SEDIMENT TRACKED ONTO ROADWAY SHOULD BE REMOVED ACCORDINGLY.
  - NO VEHICLE WASHING IS PERMITTED ON OR AROUND CONSTRUCTION ENTRANCE.
  - PERFORM PERIODIC INSPECTIONS AS NEEDED, REMOVE AND REPLACE GRAVEL AS RECOMMENDED FROM SUCH INSPECTIONS.





- NOTES:**
- STOCKPILE SOILS MAX SLOPE 1:1
  - SURROUND SOIL STOCKPILE COMPLETELY WITH SILT FENCE TO BE INSTALLED AS PER SILT FENCE DETAIL PROVIDED.
  - WHEN REMOVAL OF SILT FENCE IS REQUIRED TO ACCESS SOILS SILT FENCE MUST BE REPLACED IMMEDIATELY OR BEFORE END OF WORK SAME DAY. SILT FENCE IS TO BE REPLACED IF BULGES OR DAMAGE APPEARS.
  - IF STOCKPILE WILL REMAIN DORMANT FOR PERIOD OF 3 MONTHS OR MORE IT SHOULD BE COVERED WITH TARP OR SEEDED TEMPORARILY TO REDUCE POSSIBLE EROSION.



SLOPE STEEPNESS	MAX LENGTH
2:1	25
3:1	50
4:1	75
5:1 OR FLATTER	100

- SILT FENCE NOTES:**
- FILTER FABRIC TO BE FASTENED SECURELY TO POSTS WITH STAPLES WITH MAXIMUM SPACING 8" ON CENTER.
  - ALL SILT FENCE SHALL RUN PARALLEL TO CONTOURS.
  - ALL SILT FENCE SHALL MEET THE MINIMUM REQUIREMENTS AS STATED UNLESS OTHERWISE NOTED AND APPROVED BY THE BUILDING INSPECTOR OR ENGINEER
  - WHEN TWO SECTIONS OF SILT FENCE ADJOIN EACH OTHER THEY SHALL BE OVERLAPPED BY 6" AND FOLDED.
  - MAINTENANCE SHALL BE PERFORMED AS NEEDED AND MATERIAL REMOVED WHEN SEDIMENT LEVELS REACH 1/2 HEIGHT OF EXPOSED FENCE OR BULGES APPEAR.
  - PREFABRICATED UNITS: ENVIROFENCE, GEOFAB, OR APPROVED EQUAL, MAY E USED IN LIEU OF THE ABOVE METHOD PROVIDING THE UNIT IS INSTALLED AS PER ABOVE DETAIL.
  - FENCE POSTS (FOR PREFAB UNITS): THE LENGTH SHALL BE MIN 36" WITH WOOD POSTS OF SOUND HARDWOOD WITH A MINIMUM CROSS SECTIONAL AREA OF 3.0 SQ/IN. STEEL POSTS SHALL BET AND U SECTIONS WEIGHING NO LESS THAN 1 LB PER LINEAL FT.



**EROSION CONTROL & REMOVAL PLAN**  
**JASON SAVITSKY**  
 16 PINE RIDGE ROAD  
 TOWN OF NORTH CASTLE  
 WESTCHESTER COUNTY, NY

487 E MAIN STREET  
 SUITE # 230  
 MOUNT KISCO, NY 10549  
 P/F: 1-800-786-1909  
 WWW.RAIN-CONCEPTS.COM  
 INFO@RAIN-CONCEPTS.COM

**RAIN CONCEPTS**

STATE OF NEW YORK  
 JOHN PETROCCIONE P.E. LICENSE NO 078516  
 2/1/21 DATE  
 AUTHORIZED PROFESSIONAL ENGINEER'S SEAL IS A VIOLATION OF SECTION 7209, SUB-DIVISION 2 OF THE N.Y. STATE EDUCATION LAW.

**JOHN PETROCCIONE P.E.**  
 LICENSE NO. 078516  
 129 NEPTUNE DRIVE, MONROE, NEW YORK 10950

REVISIONS:

1/19/21	INITIAL PREPARATION
---------	---------------------

SCALE = 1" = 30'  
 SHEET 2 OF 2