



TOWN OF NORTH CASTLE

WESTCHESTER COUNTY
17 Bedford Road
Armonk, New York 10504-1898

RESIDENTIAL PROJECT
REVIEW COMMITTEE
Adam R. Kaufman AICP, Chair

Telephone: (914) 273-8625
Fax: (914) 273-3554
www.northcastleny.com

RPRC DETERMINATION LETTER

Project Description: Installing (1) 24 KW Generac Standby Generator Installing (2) 200 AMP Service
Rated ATS

Street Location: 2 MICA PL
Zoning District: R-2A Tax ID: 95.04-1-28 Application No.: 2020-3251

RPRC DECISION: RPRC - Requires Admin Wetlands Permit

Date: 04/06/2021

The above referenced application was reviewed by the Residential Project Review Committee (RPRC).

The Committee determined that Planning Board and Architectural Review Board approval of the proposed project is NOT REQUIRED.

However, the following issues will need to be addressed prior to the issuance of a building permit:

- Proposed generator may be located more than 100 feet from the wetland buffer of the pond on the adjacent property. The Town Engineer should determine if a wetlands permit would be required; if so, the wetlands permit shall be processed administratively.

At this time, you must submit two hard copies of revised plans addressing the above issues, this determination letter and a completed building permit application directly to the North Castle Building Department. DO NOT START CONSTRUCTION WITHOUT A VALID BUILDING DEPARTMENT PERMIT.

If you would like to further discuss this matter, please do not hesitate to contact the Building Department.

Adam R. Kaufman, AICP
Director of Planning